

SANIC

WATER FILTERS WITH
ANTIMICROBIAL
TECHNOLOGY



DP BIG SANIC

filter housings for BIG cartridges
with antimicrobial technology

Brand new range of
Mono, Duo and Trio filter housings
designed to fit "BIG" filter cartridges
with outer diameter (OD) 4.50",
inner diameter (ID) 1.10",
height at 10" and 20"

Powered by Microban® antimicrobial technology


MICROBAN

Microban® technology is not designed to purify drinking water, but to fight the growth of stain and odor causing bacteria on the housing and filter itself which could adversely affect filter life and performance.
MICROBAN is a registered trademark of Microban Products Company.

PRODUCTS
MINIMUM ORDER QUANTITY

HOUSINGS DP BIG SANIC

ACCESSORIES ON DEMAND



CODE	MODEL	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
			A	B	C	
RB7404002	1" brass nipples with o-ring (pair)	50	40,5	29,5	19,5	13,0




CODE	MODEL	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
			A	B	C	
RB7401040	-DP BIG MONO- wall bracket	10	40,5	29,5	19,5	15,94



CODE	MODEL	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
			A	B	C	
RB7401043	-DP BIG DUO- wall bracket	-	-	-	-	-



CODE	MODEL	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
			A	B	C	
RB7401044	-DP BIG TRIO- wall bracket	-	-	-	-	-



CODE	MODEL	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
			A	B	C	
RB7401051	-KIT LEG 10- for DP BIG 10	-	-	-	-	-
RB7401052	-KIT LEG 20- for DP BIG 20	-	-	-	-	-



CODE	MODEL	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
			A	B	C	
RB7401045	-KIT FRAME 10 MONO- for DP BIG 10 MONO	-	-	-	-	-
RB7401046	-KIT FRAME 20 MONO- for DP BIG 20 MONO	-	-	-	-	-



CODE	MODEL	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
			A	B	C	
RB7401047	-KIT FRAME 10 DUO- for DP BIG 10 DUO	-	-	-	-	-
RB7401048	-KIT FRAME 20 DUO- for DP BIG 20 DUO	-	-	-	-	-



CODE	MODEL	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
			A	B	C	
RB7401049	-KIT FRAME 10 TRIO- for DP BIG 10 TRIO	-	-	-	-	-
RB7401050	-KIT FRAME 20 TRIO- for DP BIG 20 TRIO	-	-	-	-	-




CODE	MODEL	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
			A	B	C	
LB7221134	-VT- ground fixing kit	-	-	-	-	-

HOUSINGS RANGE



DP BIG	10	MONO	1"	IN	SANIC TS
HOUSINGS MODEL	HOUSINGS HEIGHT	VERSION	IN / OUT	THREADS TYPE	BOWL TYPE
		MONO	1" 1 1/2"	IN - PLASTIC BSP* NPT IN - PLASTIC NPT**	SANIC TS - CLEAR BOWL WITH ANTI-MICROBIAL AGENT SANIC BG - OPAQUE BOWL WITH ANTI-MICROBIAL AGENT
		DUO			
		TRIO			
				<p>* BSP parallel (cylindrical) ISO 228</p> <p>** NPT tapered (conical) ANSI/ASME B1.20.1</p>	

DP BIG MONO SANIC



WORKING CONDITIONS

Max working pressure _____ 8,3 bar (120 psi)
 Max working temperature _____ 45°C (113°F)
 Min working temperature _____ 4°C (39,2°F)

SPECIFICATIONS

Non-toxic materials, suitable for drinking water.
 Head: reinforced polypropylene.
 Clear bowl: PET with antimicrobial technology.
 Opaque bowl: reinforced polypropylene with antimicrobial technology.
 O-ring: EPDM.
 Breather-valve: body polypropylene, o-ring EPDM.

DP BIG MONO SANIC clear housings



HOUSINGS WITH PLASTIC BSP THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1700711	DP BIG 10 MONO - 1" IN SANIC TS	10"	1"	4	42,0	42,0	46,0	12,94
SA1700911	DP BIG 10 MONO - 1"1/2 IN SANIC TS	10"	1"1/2	4	42,0	42,0	46,0	12,78
SA1800711	DP BIG 20 MONO - 1" IN SANIC TS	20"	1"	2	71,0	42,0	22,5	9,93
SA1800911	DP BIG 20 MONO - 1"1/2 IN SANIC TS	20"	1"1/2	2	71,0	42,0	22,5	9,85

HOUSINGS WITH PLASTIC NPT THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1700721	DP BIG 10 MONO - 1" NPT IN SANIC TS	10"	1"	4	42,0	42,0	46,0	12,81
SA1700921	DP BIG 10 MONO - 1"1/2 NPT IN SANIC TS	10"	1"1/2	4	42,0	42,0	46,0	12,65
SA1800721	DP BIG 20 MONO - 1" NPT IN SANIC TS	20"	1"	2	71,0	42,0	22,5	9,86
SA1800921	DP BIG 20 MONO - 1"1/2 NPT IN SANIC TS	20"	1"1/2	2	71,0	42,0	22,5	9,79

DP BIG MONO SANIC BG grey housings



HOUSINGS WITH PLASTIC BSP THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1700712	DP BIG 10 MONO - 1" IN SANIC BG	10"	1"	4	42,0	42,0	46,0	11,46
SA1700912	DP BIG 10 MONO - 1"1/2 IN SANIC BG	10"	1"1/2	4	42,0	42,0	46,0	11,30
SA1800712	DP BIG 20 MONO - 1" IN SANIC BG	20"	1"	2	71,0	42,0	22,5	8,64
SA1800912	DP BIG 20 MONO - 1"1/2 IN SANIC BG	20"	1"1/2	2	71,0	42,0	22,5	8,56

HOUSINGS WITH PLASTIC NPT THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1700722	DP BIG 10 MONO - 1" NPT IN SANIC BG	10"	1"	4	42,0	42,0	46,0	11,33
SA1700922	DP BIG 10 MONO - 1"1/2 NPT IN SANIC BG	10"	1"1/2	4	42,0	42,0	46,0	11,17
SA1800722	DP BIG 20 MONO - 1" NPT IN SANIC BG	20"	1"	2	71,0	42,0	22,5	8,57
SA1800922	DP BIG 20 MONO - 1"1/2 NPT IN SANIC BG	20"	1"1/2	2	71,0	42,0	22,5	8,50


DP BIG DUO SANIC

WORKING CONDITIONS

Max working pressure _____ 8,3 bar (120 psi)
 Max working temperature _____ 45°C (113°F)
 Min working temperature _____ 4°C (39,2°F)

SPECIFICATIONS

Non-toxic materials, suitable for drinking water.
 Head: reinforced polypropylene.
 Clear bowl: PET with antimicrobial technology.
 Opaque bowl: reinforced polypropylene with antimicrobial technology.
 O-ring: EPDM.
 Breather-valve: body polypropylene, o-ring EPDM.



DP BIG DUO SANIC clear housings

HOUSINGS WITH PLASTIC BSP THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1702711	DP BIG 10 DUO - 1" IN SANIC TS	10"	1"	1	41,0	42,0	21,5	6,14
SA1702911	DP BIG 10 DUO - 1"1/2 IN SANIC TS	10"	1"1/2	1	41,0	42,0	21,5	6,12
SA1802711	DP BIG 20 DUO - 1" IN SANIC TS	20"	1"	1	41,0	68,0	21,5	8,99
SA1802911	DP BIG 20 DUO - 1"1/2 IN SANIC TS	20"	1"1/2	1	41,0	68,0	21,5	8,98

HOUSINGS WITH PLASTIC NPT THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1702721	DP BIG 10 DUO - 1" NPT IN SANIC TS	10"	1"	1	41,0	42,0	21,5	6,11
SA1702921	DP BIG 10 DUO - 1"1/2 NPT IN SANIC TS	10"	1"1/2	1	41,0	42,0	21,5	6,09
SA1802721	DP BIG 20 DUO - 1" NPT IN SANIC TS	20"	1"	1	41,0	68,0	21,5	8,97
SA1802921	DP BIG 20 DUO - 1"1/2 NPT IN SANIC TS	20"	1"1/2	1	41,0	68,0	21,5	8,94



DP BIG DUO SANIC BG grey housings

HOUSINGS WITH PLASTIC BSP THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1702712	DP BIG 10 DUO - 1" IN SANIC BG	10"	1"	1	41,0	42,0	21,5	5,40
SA1702912	DP BIG 10 DUO - 1"1/2 IN SANIC BG	10"	1"1/2	1	41,0	42,0	21,5	5,38
SA1802712	DP BIG 20 DUO - 1" IN SANIC BG	20"	1"	1	41,0	68,0	21,5	7,70
SA1802912	DP BIG 20 DUO - 1"1/2 IN SANIC BG	20"	1"1/2	1	41,0	68,0	21,5	7,69

HOUSINGS WITH PLASTIC NPT THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1702722	DP BIG 10 DUO - 1" NPT IN SANIC BG	10"	1"	1	41,0	42,0	21,5	5,37
SA1702922	DP BIG 10 DUO - 1"1/2 NPT IN SANIC BG	10"	1"1/2	1	41,0	42,0	21,5	5,35
SA1802722	DP BIG 20 DUO - 1" NPT IN SANIC BG	20"	1"	1	41,0	68,0	21,5	7,68
SA1802922	DP BIG 20 DUO - 1"1/2 NPT IN SANIC BG	20"	1"1/2	1	41,0	68,0	21,5	7,65


DP BIG TRIO SANIC

WORKING CONDITIONS

Max working pressure _____ 8,3 bar (120 psi)
 Max working temperature _____ 45°C (113°F)
 Min working temperature _____ 4°C (39,2°F)

SPECIFICATIONS

Non-toxic materials, suitable for drinking water.
 Head: reinforced polypropylene.
 Clear bowl: PET with antimicrobial technology.
 Opaque bowl: reinforced polypropylene with antimicrobial technology.
 O-ring: EPDM.
 Breather-valve: body polypropylene, o-ring EPDM.



DP BIG TRIO SANIC clear housings

HOUSINGS WITH PLASTIC BSP THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1703711	DP BIG 10 TRIO - 1" IN SANIC TS	10"	1"	1	41,0	68,0	21,5	8,87
SA1703911	DP BIG 10 TRIO - 1"1/2 IN SANIC TS	10"	1"1/2	1	41,0	68,0	21,5	8,85
SA1803711	DP BIG 20 TRIO - 1" IN SANIC TS	20"	1"	1	61,5	68,5	21,5	13,62
SA1803911	DP BIG 20 TRIO - 1"1/2 IN SANIC TS	20"	1"1/2	1	61,5	68,5	21,5	13,60

HOUSINGS WITH PLASTIC NPT THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1703721	DP BIG 10 TRIO - 1" NPT IN SANIC TS	10"	1"	1	41,0	68,0	21,5	8,84
SA1703921	DP BIG 10 TRIO - 1"1/2 NPT IN SANIC TS	10"	1"1/2	1	41,0	68,0	21,5	8,82
SA1803721	DP BIG 20 TRIO - 1" NPT IN SANIC TS	20"	1"	1	61,5	68,5	21,5	13,59
SA1803921	DP BIG 20 TRIO - 1"1/2 NPT IN SANIC TS	20"	1"1/2	1	61,5	68,5	21,5	13,57



DP BIG TRIO SANIC BG grey housings

HOUSINGS WITH PLASTIC BSP THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1703712	DP BIG 10 TRIO - 1" IN SANIC BG	10"	1"	1	41,0	68,0	21,5	7,76
SA1703912	DP BIG 10 TRIO - 1"1/2 IN SANIC BG	10"	1"1/2	1	41,0	68,0	21,5	7,74
SA1803712	DP BIG 20 TRIO - 1" IN SANIC BG	20"	1"	1	61,5	68,5	21,5	11,69
SA1803912	DP BIG 20 TRIO - 1"1/2 IN SANIC BG	20"	1"1/2	1	61,5	68,5	21,5	11,67

HOUSINGS WITH PLASTIC NPT THREADS

CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	PCS X BOX	BOX SIZE (cm)			BOX GROSS WEIGHT (kg)
					A	B	C	
SA1703722	DP BIG 10 TRIO - 1" NPT IN SANIC BG	10"	1"	1	41,0	68,0	21,5	7,73
SA1703922	DP BIG 10 TRIO - 1"1/2 NPT IN SANIC BG	10"	1"1/2	1	41,0	68,0	21,5	7,71
SA1803722	DP BIG 20 TRIO - 1" NPT IN SANIC BG	20"	1"	1	61,5	68,5	21,5	11,66
SA1803922	DP BIG 20 TRIO - 1"1/2 NPT IN SANIC BG	20"	1"1/2	1	61,5	68,5	21,5	11,63

